

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC




(818) 979-9474
http://www.caligreenlaboratory.com

Body Balm CBD+CBN+HHC

Sample ID: 2309CGL2743.6985
Strain: Body Balm
Matrix: Topical
Type: Other
Sample Size: 1 units; Batch:

Produced:
Collected: 09/08/2023
Received: 09/08/2023
Completed: 09/13/2023
Batch#:

Client
VYYB
Lic. #
1442 Kittridge St. Apt 224
Van Nuys, CA 91405



Summary - Safety & Quality Tests

Test	Date Tested	Result
Batch	09/11/2023	Pass

Test	Date Tested	Result
Cannabinoids	09/11/2023	Complete
Water Activity	09/13/2023	NR - Complete
Residual Solvents	09/11/2023	Pass
Microbials	09/12/2023	Pass
Mycotoxins	09/11/2023	Pass
Pesticides	09/11/2023	Pass
Heavy Metals	09/12/2023	Pass
Foreign Matter	09/11/2023	Pass

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.01	0.02	ND	ND	ND	ND
Δ9-THC	0.02	0.02	0.020	0.20	0.197	0.197
Δ8-THC	0.02	0.02	ND	ND	ND	ND
THCV	0.02	0.02	0.140	1.40	1.377	1.377
CBDa	0.01	0.02	ND	ND	ND	ND
CBD	0.02	0.02	0.380	3.80	3.732	3.732
CBDV	0.02	0.02	ND	ND	ND	ND
CBN	0.01	0.02	0.006	0.06	0.056	0.056
CBGa	0.01	0.02	ND	ND	ND	ND
CBG	0.02	0.02	0.135	1.35	1.329	1.329
CBC	0.01	0.02	0.121	1.21	1.187	1.187
Total THC			0.020	0.201	0.197	0.197
Total CBD			0.380	3.802	3.732	3.732
Total			0.803	8.025	7.879	7.879

1 Unit = Balm, 0.9817g. 1 mL = 0.9817g. 1 unit(s) per serving. 1 serving(s) per container.

Cannabinoids Date Tested: 09/11/2023

Cannabinoids Footnotes: Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
09/13/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474
<http://www.caligreenlaboratory.com>

Body Balm CBD+CBN+HHC

Sample ID: 2309CGL2743.6985	Produced:	Client
Strain: Body Balm	Collected: 09/08/2023	VYYB
Matrix: Topical	Received: 09/08/2023	Lic. #
Type: Other	Completed: 09/13/2023	1442 Kittridge St. Apt 224
Sample Size: 1 units; Batch:	Batch#:	Van Nuys, CA 91405

Microbials Lab Results

Pass

Analyte	Result	Analyte	Result
Shiga toxin-producing E. Coli	Not Detected in 1g	Salmonella SPP	Not Detected in 1g

Date Tested: 09/12/2023
Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg			µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested	G2	2.5	5		ND	Tested
B2	1.25	5		ND	Tested	Ochratoxin A	6.6	16.6	20	ND	Pass
G1	1.25	5		ND	Tested	Total Aflatoxins			20	ND	Pass

Date Tested: 09/11/2023
Mycotoxins by LC-MSMS: CGL-P-720-007-B
LOQ = Limit of Quantitation

Heavy Metals Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Arsenic	0.000124	0.05	0.2	<LOQ	Pass	Lead	0.000119	0.05	0.5	<LOQ	Pass
Cadmium	0.000111	0.05	0.2	<LOQ	Pass	Mercury	0.000097	0.05	0.1	<LOQ	Pass

Date Tested: 09/12/2023
Heavy Metals by ICP-MS: CGL-P-720-012-B
LOQ = Limit of Quantitation

Residual Solvents Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.2344	0.4688	1	ND	Pass	Isopropanol	23.438	187.5	5000	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass	m+p Xylene	23.438	187.5		ND	Tested
Acetonitrile	23.438	187.5	410	ND	Pass	Methanol	93.75	187.5	3000	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass	Methylene-Chloride	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass	n-Hexane	23.438	187.5	290	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass	o-Xylene	23.438	187.5		ND	Tested
Ethanol	23.438	187.5		ND	Tested	Pentane	23.438	187.5	5000	ND	Pass
Ethyl-Acetate	23.438	187.5	5000	ND	Pass	Propane	23.438	93.75	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass	Toluene	23.438	187.5	890	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass	Trichloroethene	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass	Xylenes	23.438	187.5	2170	ND	Pass

Date Tested: 09/11/2023
Solvents by HSGC-MS Method: SOP CGL-P-720-010-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
09/13/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474
http://www.caligreenlaboratory.com

Body Balm CBD+CBN+HHC

Sample ID: 2309CGL2743.6985	Produced:	Client
Strain: Body Balm	Collected: 09/08/2023	VYYB
Matrix: Topical	Received: 09/08/2023	Lic. #
Type: Other	Completed: 09/13/2023	1442 Kittridge St. Apt 224
Sample Size: 1 units; Batch:	Batch#:	Van Nuys, CA 91405

Pesticides Lab Results

Pesticides Lab Results						Pass					
Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.1	ND	Pass	Fludioxonil	0.01875	0.075	0.1	ND	Pass
Acephate	0.01875	0.075	0.1	ND	Pass	Hexythiazox	0.01875	0.075	0.1	ND	Pass
Acequinocyl	0.075	0.1	0.1	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	0.1	ND	Pass	Imidacloprid	0.01875	0.075	5	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	0.1	ND	Pass
Azoxystrobin	0.01875	0.075	0.1	ND	Pass	Malathion	0.01875	0.1	0.5	ND	Pass
Bifenazate	0.01875	0.075	0.1	ND	Pass	Metalaxyl	0.01875	0.1	2	ND	Pass
Bifenthrin	0.01875	0.1	3	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	0.1	ND	Pass	Methomyl	0.01875	0.075	1	ND	Pass
Captan	0.01875	0.075	0.7	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	0.1	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.1	ND	Pass
Chlorantraniliprole	0.01875	0.1	10	ND	Pass	Oxamyl	0.01875	0.075	0.5	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Paclobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.1	ND	Pass
Clofentezine	0.01875	0.075	0.1	ND	Pass	Permethrin	0.01875	0.1	0.5	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.1	ND	Pass
Cyfluthrin	0.01875	0.075	2	ND	Pass	Piperonyl Butoxide	0.01875	0.1	3	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.1	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	0.1	ND	Pass
Diazinon	0.01875	0.075	0.1	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	0.5	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	0.1	ND	Pass
Dimethomorph	0.01875	0.1	2	ND	Pass	Spinetoram	0.01875	0.075	0.1	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	0.1	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	0.1	ND	Pass
Etoxazole	0.01875	0.075	0.1	ND	Pass	Spirotetramat	0.01875	0.075	0.1	ND	Pass
Fenhexamid	0.0375	0.075	0.1	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	0.1	ND	Pass
Fenpyroximate	0.05625	0.075	0.1	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	5	ND	Pass
Fonicamid	0.0375	0.075	0.1	ND	Pass	Trifloxystrobin	0.01875	0.075	0.1	ND	Pass

Date Tested: 09/11/2023
Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
09/13/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.